



Product Service

CERTIFICATE

No. Z2 010256 0294 Rev. 01

Holder of Certificate: **Berliner Seilfabrik GmbH & Co.**
Lengeder Straße 4
13407 Berlin
GERMANY

Certification Mark:



Product: **Playground equipment**

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition the certification holder must not transfer the certificate to third parties. See also notes overleaf.

Test report no.: 713125107-13

Valid until: 2024-03-25

Date, 2019-04-25

(Jens Biesenack)



Product Service

CERTIFICATE

No. Z2 010256 0294 Rev. 01

Model(s):

70.100.123, 70.100.135, 70.100.147,
70.200.030, 70.200.020, 70.200.010,
70.300.147.002.00, 70.300.147.003.00,
70.300.147.001.00, 70.300.147.000.00,
70.300.135.003.00, 70.300.135.002.00,
70.300.135.001.00, 70.300.135.000.00,
70.300.123.002.00, 70.300.123.003.00,
70.300.123.001.00, 70.300.123.000.00

Parameters:

The VARIO series consists of an icosahedron space framework with a simple buckyball space net structure. Optionally extendable with slide and access net.

All tensioning points are fitted with a centrally supported single-point tensioning system.

The 25 tubes of the scaffolding system are protected against corrosion, powder-coated, and have a diameter of 48.3 mm.

The 11 nodes of the space framework are made of cast aluminium and are powder-coated as well.

The space net is made of polyester sheathed steel ropes (U-Rope®) with a diameter of 16 mm.

The steel wires that are used are drawn galvanised.

Aluminium cloverleaf rings are used as the intersection points of the ropes.

Roplay 123, 135, 147

aluminium rope tensioner Ø: 250 mm, tubes Ø: 48,3 mm, polyester sheathed steel ropes Ø: 16 mm

Roplay MS, MM, ML

Mast (Ø 133 x 5,0 mm), Polyester coated steel ropes (Ø16 mm), hollow aluminium spheres (Ø 250 mm),

1-2 rubber membranes 9 mm, fabric-reinforced

70.100.123 Roplay 123:

Dimensions (L x W x H): 2.90 x 3.30 x 2.70 m

Height of fall: 1.75 m

70.100.135 Roplay 135:

Dimensions (L x W x H): 3.75 x 4.30 x 3.50 m

Height of fall: 2.25 m

70.100.147 Roplay 147:

Dimensions (L x W x H): 5.05 x 5.80 x 4.73 m

Height of fall: 3.00 m

70.200.030 Roplay ML:

Dimensions (L x W x H): 6.09 x 11.99 x 12.60m

Height of fall: 1.10 m

No. Z2 010256 0294 Rev. 01

70.300.123.000.00 Roplay Vario S:
Dimensions (L x W x H): 3.00 x 2.90 x 2.50 m
Height of fall: 1.65 m

Li

No. Z2 010256 0294 Rev. 01

DIN EN 1176-1:2017
EN 1176-1:2017
DIN EN 1176-11:2014
EN 1176-11:2014

010256

Li